

# ELKAY<sup>®</sup> COMMERCIAL SINKS



**1**

**FOODSERVICE** ..... 3  
WELDBILT® ..... 4-6  
RIGIDBILT® ..... 7-8  
DEPENDABILT™ ..... 9-16  
HAND WASH ..... 17-18  
DROP-IN ..... 18  
FLOOR SERVICE ..... 19  
WORK TABLES (STANDARD)..... 20

**2**

**LAVATORY** ..... 21  
RECTANGULAR WASH..... 22  
OVAL WASH ..... 23  
ADA WASH ..... 24  
URINALS ..... 25  
COPPER ..... 26  
UNDERMOUNT ..... 27

**3**

**SCRUB AND HAND WASH** ..... 28  
SURGEON..... 29  
WALL SCRUB.....30-32  
PEDESTAL MOUNT ..... 33  
WALL MOUNT..... 34  
SINGLE STATION DRAINBOARD ..... 35  
MULTIPLE STATION.....36-37  
KNEE OPERATED ..... 38  
SENSOR OPERATED .....39-40

**4**

**SERVICE AND UTILITY** ..... 41  
WALL SERVICE..... 42  
STURDIBILT® .....43-45  
FLOOR SERVICE ..... 46  
FLOOR SERVICE PANELS..... 46

# TABLE OF CONTENTS

---

5

**CLASSROOM** ..... 47  
LUSTERTONE® DOUBLE BOWL.....48-49  
LUSTERTONE SINGLE BOWL.....50-51  
LUSTERTONE SETS..... 52  
CELEBRITY .....53-54

6

**GENERAL USE** ..... 55  
COPPER DROP-IN ..... 56  
STAINLESS STEEL UNDERMOUNT ..... 57  
STAINLESS STEEL DROP-IN .....58-62  
DRAIN FITTINGS .....63-67

7

**ADA**..... 68  
ADA SINKS.....69-73  
ACCESSORIES..... 74





## FOODSERVICE

Elkay® foodservice sinks are designed to withstand the heavy-duty requirements of commercial kitchens in schools, hospitals and retirement homes, as well as restaurants. With our large selection of Weldbilt® and Rigidbilt® freestanding scullery sinks, you can count on Elkay to have the right sink for virtually any commercial kitchen application, including food preparation and dishwashing.

## Weldbilt Scullery Sinks

- Superior-quality, 14-gauge, Type 304 stainless steel
- Designed to withstand the heavy-duty requirements of hotel, restaurant, cafeteria and other commercial kitchens
- Sink compartments have welded 1/4"-radius, coved-corner construction; ground smooth for easy cleaning
- Channel rim design with 2" apron, slanting sanitary turn under, and inward sloping rim to minimize spillage
- 8" high, full-length, sloped backsplash resists grime and is 2" thick to allow for plumbing
- Sink polished to a uniform Lustrous Satin finish
- Sink compartment pitched to drain
- 3-1/2" drain opening centered in each compartment
- Stainless steel tubular legs, 1-5/8" O.D. with up to 1" adjustable, bullet-shaped stainless steel feet
- Carries NSF International certification



WNSF81242

### Optional Accessories

SSD24

24" Detachable drainboard

### Single compartment - no drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
WNSF81242	27"	27-1/2"	24"	24"	80
WNSF81302	33"	27-1/2"	30"	24"	89
WNSF81362	39"	27-1/2"	36"	24"	96



WNSF81242

### Single compartment - left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8124L2	49-1/2"	27-1/2"	24"	24"	24"	105
WNSF8130L2 ☒ ☉	55-1/2"	27-1/2"	30"	24"	24"	112
WNSF8136L2 ☒	61-1/2"	27-1/2"	36"	24"	24"	121



WNSF8124L2

### Single compartment - right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8124R2	49-1/2"	27-1/2"	24"	24"	24"	105
WNSF8130R2	55-1/2"	27-1/2"	30"	24"	24"	112
WNSF8136R2 ☒	61-1/2"	27-1/2"	36"	24"	24"	121



WNSF8124R2

## Weldbilt Scullery Sinks

### Single compartment - left and right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8124LR2	72"	27-1/2"	24"	24"	24"	187
WNSF8130LR2 ☞ ☉	78"	27-1/2"	30"	24"	24"	172
WNSF8136LR2 ☞	84"	27-1/2"	36"	24"	24"	208



WNSF8124LR2

### Double compartment - no drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
WNSF82302 ☞	33"	27-1/2"	15"	24"	95
WNSF82362 ☞	39"	27-1/2"	18"	24"	104
WNSF82422 ☞ ☉	45"	27-1/2"	21"	24"	150
WNSF82482 ☞	51"	27-1/2"	24"	24"	121
WNSF82542 ☞ ☉	57"	27-1/2"	27"	24"	130
WNSF82602 ☞	63"	27-1/2"	30"	24"	138



WNSF82482

### Double compartment - left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8230L2 ☞ ☉	55-1/2"	27-1/2"	15"	24"	24"	120
WNSF8236L2 ☞	61-1/2"	27-1/2"	18"	24"	24"	130
WNSF8248L2 ☞ ☉	73-1/2"	27-1/2"	24"	24"	24"	201
WNSF8254L2 ☞ ☉	79-1/2"	27-1/2"	27"	24"	24"	165
WNSF8260L2 ☞ ☉	85-1/2"	27-1/2"	30"	24"	24"	222



WNSF8248L2

### Double compartment - right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8230R2 ☞	55-1/2"	27-1/2"	15"	24"	24"	120
WNSF8236R2 ☞	61-1/2"	27-1/2"	18"	24"	24"	130
WNSF8248R2 ☞	73-1/2"	27-1/2"	24"	24"	24"	201
WNSF8254R2 ☞ ☉	79-1/2"	27-1/2"	27"	24"	24"	165
WNSF8260R2 ☞ ☉	85-1/2"	27-1/2"	30"	24"	24"	222



WNSF8248R2

### Double compartment - left and right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8230LR2 ☞	78"	27-1/2"	15"	24"	24"	198
WNSF8236LR2 ☞ ☉	84"	27-1/2"	18"	24"	24"	216
WNSF8248LR2 ☞	96"	27-1/2"	24"	24"	24"	224
WNSF8254LR2 ☞	105"	27-1/2"	27"	24"	24"	246
WNSF8260LR2 ☞	108"	27-1/2"	30"	24"	24"	267



WNSF8248LR2

## Weldbilt Scullery Sinks

### Triple compartment - no drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
WNSF83454	48"	27-1/2"	15"	24"	125
WNSF83544	57"	27-1/2"	18"	24"	140
WNSF83604	63"	27-1/2"	20"	24"	160
WNSF83724	75"	27-1/2"	24"	24"	227



WNSF83544

### Triple compartment - left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8345L4	70-1/2"	27-1/2"	15"	24"	24"	151
WNSF8354L4	79-1/2"	27-1/2"	18"	24"	24"	166
WNSF8372L4	97-1/2"	27-1/2"	24"	24"	24"	253



WNSF8354L4

### Triple compartment - right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8345R4	70-1/2"	27-1/2"	15"	24"	24"	151
WNSF8354R4	79-1/2"	27-1/2"	18"	24"	24"	166
WNSF8372R4	97-1/2"	27-1/2"	24"	24"	24"	253



WNSF8345R4

### Triple compartment - left and right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
WNSF8345LR4	93"	27-1/2"	15"	24"	24"	241
WNSF8354LR4	102"	27-1/2"	18"	24"	24"	256
WNSF8360LR4	108"	27-1/2"	20"	24"	24"	280
WNSF8372LR4	120"	27-1/2"	24"	24"	24"	304



WNSF8345LR4

## Rigidbilt Scullery Sinks

- 16-gauge, Type 304 stainless steel
- Large die-drawn sink compartments pitched to drain
- Seamless drawn 3-1/2" radius coved corners
- Exposed surfaces blended into a Lustrous Satin finish
- Steel channel-reinforced drainboards have a conical shaped pitch for drainage
- 8" high, full-length backsplash with 45-degree sloped top to resist dirt and grime
- 2" thick backsplash to allow for plumbing
- 3-1/2" drain opening centered in each compartment
- Stainless steel tubular legs with cross-brace supports
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet
- Channel rim design with 1" apron, has inward sloping rim to minimize spillage



RNSF8236LR2

### Single compartment - no drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
RNSF81182	27"	29-3/4"	18"	24"	89
RNSF81242	33"	29-3/4"	24"	24"	95



RNSF81182

### Single compartment - left and right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
RNSF8118LR2 Ⓢ Ⓞ	57"	29-3/4"	18"	24"	19-1/2"	127
RNSF8124LR2 Ⓢ	63"	29-3/4"	24"	24"	19-1/2"	149



RNSF8118LR2

### Double compartment - no drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
RNSF82362	47-1/4"	29-3/4"	18"	24"	129
RNSF82482 Ⓢ Ⓞ	59-1/4"	29-3/4"	24"	24"	157



RNSF82362

### Double compartment - left and right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
RNSF8236LR2	77-1/4"	29-3/4"	18"	24"	19-1/2"	174
RNSF8248LR2 Ⓢ Ⓞ	89-1/4"	29-3/4"	24"	24"	19-1/2"	200



RNSF8236LR2



**Rigidbilt Scullery Sinks**

**Triple compartment - no drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
RNSF83544 ⚙️ Ⓞ	67-1/2"	29-3/4"	18"	24"	168
RNSF83724 ⚙️ Ⓞ	85-1/2"	29-3/4"	24"	24"	193



**RNSF83544**

**Triple compartment - left and right drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
RNSF8354LR4	97-1/2"	29-3/4"	18"	24"	19-1/2"	211
RNSF8372LR4 ⚙️	115-1/2"	29-3/4"	24"	24"	19-1/2"	239



**RNSF8354LR4**

## Dependabilt Scullery Sinks, 16 Gauge

- 16-gauge, 300 Series Stainless Steel construction
- 10", 12" or 14" deep bowls with 3/4" covered corners
- Includes stainless steel legs and bullet feet
- 8" on-center faucet holes
- 9" or 10" backsplash with tile ledge for easy installation



1C18X18-0X

### Single Compartment - 12" deep bowl

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
1C18X18-0X	23"	23-13/16"	18"	18"	79
1C18X24-0X	23"	29-13/16"	18"	24"	89
1C24X24-0X	29"	29-13/16"	24"	24"	97



1C18X24-0X

### Single Compartment - 12" deep bowl, left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
1C18X18-L-18X	38-1/2"	23-13/16"	18"	18"	18"	95
1C24X24-L-24X	50-1/2"	29-13/16"	24"	24"	24"	128



1C18X24-L-18X

### Single Compartment - 12" deep bowl, right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
1C18X18-R-18X	38-1/2"	23-13/16"	18"	18"	18"	95
1C24X24-R-24X	50-1/2"	29-13/16"	24"	24"	24"	124



1C18X24-R-18X

### Single Compartment - 12" deep bowl, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
1C18X18-2-18X	54"	23-13/16"	18"	18"	18"	111
1C18X24-2-24X	66"	29-3/4"	18"	24"	24"	136
1C24X24-2-24X	72"	29-13/16"	24"	24"	24"	146



1C18X18-2-18X

**Dependabilt Scullery Sinks, 16 Gauge**

**Single Compartment - 14" deep bowl**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
14-1C16X20-0X	21"	25-13/16"	16"	20"	100
14-1C18X24-0X	23"	29-13/16"	18"	24"	92
14-1C22X22-0X	27"	27-13/16"	22"	22"	96
14-1C24X24-0X	29"	29-13/16"	24"	24"	101



14-1C16X20-0X

**Single Compartment - 14" deep bowl, left drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
14-1C16X20-L-18X	36-1/2"	25-13/16"	16"	20"	18"	96
14-1C18X24-L-18X	38-1/2"	29-13/16"	18"	24"	18"	104



14-1C16X20-L-18X

**Single Compartment - 14" deep bowl, right drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
14-1C16X20-R-18X	36-1/2"	25-13/16"	16"	20"	18"	96
14-1C18X24-R-18X	38-1/2"	29-13/16"	18"	24"	18"	104



14-1C16X20-R-18X

**Single Compartment - 14" deep bowl, left and right drainboards**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
14-1C16X20-2-18X	52"	25-13/16"	16"	20"	18"	106



14-1C16X20-2-18X

**Double Compartment - 12" deep bowls**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
2C18X18-0X	43"	23-13/16"	18"	18"	113
2C18X24-0X	43"	29-13/16"	18"	24"	122
2C24X24-0X	55"	29-13/16"	24"	24"	143



2C18X24-0X

**Double Compartment - 12" deep bowls, left drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
2C18X18-L-18X	58-1/2"	23-13/16"	18"	18"	18"	130
2C18X18-L-24X	64-1/2"	23-3/4"	18"	18"	24"	138



2C18X24-L-18X

## Dependabilt Scullery Sinks, 16 Gauge

### Double Compartment - 12" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
2C18X18-2-18X	74"	23-13/16"	18"	18"	18"	151
2C18X18-2-24X	86"	23-13/16"	18"	18"	24"	162
2C18X24-2-18X	74"	29-13/16"	18"	24"	18"	163
2C24X24-2-24X	98"	29-13/16"	24"	24"	24"	184



2C18X24-2-18X

### Double Compartment - 14" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
14-2C16X20-0X	39"	25-13/16"	16"	20"	154
14-2C18X24-0X	43"	29-13/16"	18"	24"	126



14-2C16X20-0X

### Double Compartment - 14" deep bowls, left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
14-2C18X24-L-18X	58-1/2"	29-13/16"	18"	24"	18"	147

### Double Compartment - 14" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
14-2C16X20-2-18X	70"	25-13/16"	16"	20"	18"	154
14-2C18X24-2-18X	74"	29-13/16"	18"	24"	18"	167
14-2C24X24-2-24X	98"	29-13/16"	24"	24"	24"	200



14-2C16X20-2-18X

### Triple Compartment - 10" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
3C10X14-0X	39"	19-13/16"	10"	14"	102
3C12X16-0X	45"	21-13/16"	12"	16"	114



3C10X14-0X

### Triple Compartment - 12" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
3C18X18-0X	63"	23-13/16"	18"	18"	152
3C18X24-0X	63"	29-13/16"	18"	24"	165



3C18X24-0X

**Dependabilt Scullery Sinks, 16 Gauge**

**Triple Compartment - 10" deep bowls, left drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
3C10X14-L-12X	48-1/2"	19-13/16"	10"	14"	12"	111



3C10X14-L-12X

**Triple Compartment - 10" deep bowls, right drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
3C10X14-R-12X	48-1/2"	19-13/16"	10"	14"	12"	111



3C10X14-R-12X

**Triple Compartment - 10" deep bowls, left and right drainboards**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
3C10X14-2-12X	58"	19-13/16"	10"	14"	12"	120
3C10X14-2-16X	66"	19-13/16"	10"	14"	16"	127
3C12X16-2-12X	64"	21-13/16"	12"	16"	12"	134
3C12X16-2-16X	72"	21-13/16"	12"	16"	16"	138



3C10X14-2-12X

**Triple Compartment - 12" deep bowls, left and right drainboards**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
3C16X20-2-18X	88"	25-13/16"	16"	20"	18"	186
3C18X18-2-18X	94"	23-13/16"	18"	18"	18"	191
3C18X18-2-24X	10"	23-13/16"	18"	18"	24"	200
3C18X24-2-18X	94"	29-13/16"	18"	24"	18"	205
3C18X24-2-24X	10"	29-13/16"	18"	24"	24"	219
3C24X24-2-24X	12"	29-13/16"	24"	24"	24"	240



3C18X24-2-18X

**Triple Compartment - 14" deep bowls**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
14-3C16X20-0X	57"	25-13/16"	16"	20"	154
14-3C18X24-0X	63"	29-13/16"	18"	24"	174
14-3C24X24-0X	81"	29-13/16"	24"	24"	200



14-3C16X20-0X

**Triple Compartment - 14" deep bowls, left drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
14-3C16X20-L-18X	72-1/2"	25-3/4"	16"	20"	18"	174



14-3C16X20-L-18X

**Dependabilt Scullery Sinks, 16 Gauge**

**Triple Compartment - 14" deep bowls, right drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
14-3C16X20-R-18X	72-1/2"	25-13/16"	16"	20"	18"	174



14-3C16X20-R-18X



## Triple Compartment - 14" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
14-3C16X20-2-18X	88"	25-13/16"	16"	20"	18"	193
14-3C16X20-2-24X	10"	25-13/16"	16"	20"	24"	214
14-3C18X24-2-18X	94"	29-13/16"	18"	24"	18"	214
14-3C18X24-2-24X	10"	29-13/16"	18"	24"	24"	225
14-3C20X20-2-20X	10"	25-13/16"	20"	20"	20"	217
14-3C24X24-2-24X	12"	29-13/16"	24"	24"	24"	252



14-3C16X20-2-18X

## Dependabilt Scullery Sinks, 18 Gauge

- 18-gauge, 300 Series Stainless Steel construction
- 11", 12" or 14" deep bowls with 3/4" covered corners
- Includes stainless steel legs and bullet feet
- 8" on center faucet holes
- 8" or 9" backsplash with tile ledge for easy installation



B2C18X21X

## Single Compartment - 11" deep bowl

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
SE1C18X18-0X	23"	23-13/16"	18"	18"	71
SE1C24X24-0X	29"	29-13/16"	24"	24"	83



SE1C18x18-0X

## Single Compartment - 11" deep bowl, left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SE1C18X18-L-18X	38-1/2"	23-13/16"	18"	18"	18"	93



SE1C18x18-L-18X

## Single Compartment - 11" deep bowl, right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SE1C18X18-R-18X	38-1/2"	23-13/16"	18"	18"	18"	93



SE1C18x18-R-18X

## Single Compartment - 12" deep bowl

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
E1C16X20-0X	21"	25-13/16"	16"	20"	70
E1C20X20-0X	25"	25-13/16"	20"	20"	77
E1C24X24-0X	29"	29-13/16"	24"	24"	86



E1C16X20-0X

**Dependabilt Scullery Sinks, 18 Gauge**

**Single Compartment - 12" deep bowl**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
B1C18X18X	21"	21-1/2"	18"	18"	73
B1C18X21X	21"	24-1/2"	18"	21"	76
B1C24X24X	27"	27-1/2"	24"	24"	87



B1C24X24X

**Single Compartment - 12" deep bowl, left drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
E1C16X20-L-18X	36-1/2"	25-13/16"	16"	20"	18"	85
E1C20X20-L-20X	42-1/2"	25-13/16"	20"	20"	20"	89
E1C24X24-L-24X	50-1/2"	29-13/16"	24"	24"	24"	123



E1C16X20-L-18X

**Single Compartment - 12" deep bowl, right drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
E1C16X20-R-18X	36-1/2"	25-13/16"	16"	20"	18"	85
E1C20X20-R-20X	42-1/2"	25-13/16"	20"	20"	20"	89
E1C24X24-R-24X	50-1/2"	29-13/16"	24"	24"	24"	123



E1C16X20-R-18X

**Single Compartment - 14" deep bowl**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
S1C18X18-0X	23"	23-13/16"	18"	18"	74
S1C24X24-0X	29"	29-13/16"	24"	24"	96



S1C18X18-0X

**Single Compartment - 14" deep bowl, left drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
S1C18X18-L-18X	38-1/2"	23-13/16"	18"	18"	18"	87



S1C18X18-L-18X

**Single Compartment - 14" deep bowl, right drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
S1C18X18-R-18X	38-1/2"	23-13/16"	18"	18"	18"	87



S1C18X18-R-18X

## Dependabilt Scullery Sinks, 18 Gauge

### Single Compartment - 14" deep bowl, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
S1C18X18-2-18X	54"	23-13/16"	18"	18"	18"	102



S1C18X18-2-18X

### Double Compartment - 11" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SE2C18X18-2-18X	72"	23-13/16"	18"	18"	18"	135



SE2C18x18-2-18X

### Double Compartment - 12" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
B2C18X21X	39"	24-1/2"	18"	21"	106
B2C24X24X	51"	27-1/2"	24"	24"	127
E2C16X20-0X	39"	25-13/16"	16"	20"	101
E2C20X20-0X	47"	25-13/16"	20"	20"	107
E2C24X24-0X	55"	29-13/16"	24"	24"	125



E2C16X20-0X

### Double Compartment - 12" deep bowls, left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
E2C16X20-L-18X	54-1/2"	25-13/16"	16"	20"	18"	120



E2C16X20-L-18X

### Double Compartment - 12" deep bowls, right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
E2C16X20-R-18X	54-1/2"	25-13/16"	16"	20"	18"	120



E2C16X20-R-18X

### Double Compartment - 14" deep bowls, left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
S2C18X18-L-18X	56-1/2"	23-13/16"	18"	18"	18"	119



S2C18X18-L-18X

### Double Compartment - 14" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
S2C18X18-2-18X	72"	23-13/16"	18"	18"	18"	142



S2C18X18-2-18X

**Dependabilt Scullery Sinks, 18 Gauge**

**Double Compartment - 12" deep bowls, left and right drainboards**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
E2C16X20-2-18X	70"	25-13/16"	16"	20"	18"	134
E2C20X20-2-20X	82"	25-13/16"	20"	20"	20"	145
E2C24X24-2-24X	98"	29-13/16"	24"	24"	24"	171



E2C16X20-2-18X

**Triple Compartment - 11" deep bowls, left and right drainboards**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SE3C18X18-2-18X	90"	23-13/16"	18"	18"	18"	162
SE3C24X24-2-24X	12"	29-13/16"	24"	24"	24"	207



SE3C18x18-2-18X

**Triple Compartment - 12" deep bowls**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
B3C12X21X	39"	24-1/2"	12"	21"	110
B3C18X21X	57"	24-1/2"	18"	21"	135
E3C16X20-0X	57"	25-13/16"	16"	20"	164
E3C24X24-0X	81"	29-13/16"	24"	24"	165



E3C16X20-0X

**Triple Compartment - 12" deep bowls, left drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
E3C16X20-L-18X	72-1/2"	25-13/16"	16"	20"	18"	148



E3C16X20-L-18X

**Triple Compartment - 12" deep bowls, right drainboard**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
E3C16X20-R-18X	72-1/2"	25-13/16"	16"	20"	18"	148



E3C16X20-R-18X

**Triple Compartment - 12" deep bowls, left and right drainboards**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
E3C16X20-2-18X	88"	25-13/16"	16"	20"	18"	164
E3C20X20-2-20X	10"	25-13/16"	20"	20"	20"	186
E3C24X24-2-24X	12"	29-13/16"	24"	24"	24"	215



E3C16X20-2-18X

**Triple Compartment - 14" deep bowls, left and right drainboards**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
S3C18X18-2-18X	90"	23-13/16"	18"	18"	18"	171
S3C24X24-2-24X	12"	29-13/16"	24"	24"	24"	237



S3C18X18-2-18X

## Hand Wash Sinks, Pedestal Mount & Wall Mount

- 18-gauge, 300 Series Stainless Steel construction
- Easy to clean and sanitize
- 1-1/2" drain opening
- NSF certified



EHS-18X

### Splash mounted basic

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EHS-14X	14"	16-1/2"	10"	12"	14
EHS-18X	18"	14-1/2"	14"	10"	16
SEHS-17X	17"	15"	14"	10"	14



EHS-14X


### Splash mounted with knee valve

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EHS-18-KVX	18"	14-1/2"	14"	10"	20



EHS-18-KVX

### Splash mounted with pedestal base and foot valve

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EHS-14-PEDX 	14"	16-1/2"	10"	12"	62
EHS-18-PEDX	18"	14-1/2"	14"	10"	66



EHS-14-PEDX

### Splash mounted with side splashes

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EHS-18-SSX	18"	14-1/2"	14"	10"	16



EHS-18-SSX



## Hand Wash Sinks, Pedestal Mount & Wall Mount

### Splash mounted with side splashes, lever waste, overflow and p-trap

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EHS-18-SDX	18"	14-1/2"	14"	10"	21



**EHS-18-SDX**

### Splash mounted with soap and towel dispenser

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EHS-18-STDx 8	18"	14-1/2"	14"	10"	21



**EHS-18-STDx**

## 300 Series Stainless Steel Drop-in Sinks

- 18-gauge 300 Series Stainless Steel construction
- 3-1/2" drain opening
- Strainer and faucet included
- NSF certified



**DI-1C-101410X**

### Single Compartment - 10" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
DI-1C-101410X	13-1/4"	23-3/4"	10"	14"	11



**DI-1C-101410X**

### Single Compartment - 6" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
DI10126X	13"	17"	10"	12"	9



**D1-10116**

### Triple Compartment - 10" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
DI-3C-101410X	37"	19"	10"	14"	22



**D1-3C-101410**

## Floor Service Sinks

- 16-gauge, 300 Series Stainless Steel construction
- 18-gauge stainless steel skirt
- 2" no-caulk drain included
- NSF certified



FLR-1X

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
FLR-1X	24"	20"	20"	16"	28
FLR-2X	32"	24"	28"	20"	32
FLR-3X	24"	20"	20"	16"	30
FLR-4X	32"	24"	28"	20"	36



FLR-3X

## Work Tables Standard Series

- 16-gauge, 304 Series Stainless Steel construction
- Two galvanized hat channels per table
- 1-5/8" heavy-gauge tubing with fully adjustable 1" feet
- Available with undershelf or cross bracing
- Tables are shipped knocked down
- Work tables larger than 72" have 6 legs
- Backsplash models are 4" with 1" return
- Carries NSF certification for foodservice application



WT24S72-STSX

### Flat top with stainless steel cross brace and legs

Model	Overall Length	Overall Width	Ship Weight (lbs)
WT30X84-STSX	84"	30"	130



WT30X72-STSX

### Flat top with stainless steel undershelf and legs

Model	Overall Length	Overall Width	Ship Weight (lbs)
WT24S36-STSX	36"	24"	72
WT24S48-STSX	48"	24"	82
WT24S60-STSX	60"	24"	92
WT24S72-STSX	72"	24"	102
WT30S120-STSX	120"	30"	151
WT30S48-STSX	48"	30"	92
WT30S60-STSX	60"	30"	102
WT30S72-STSX	72"	30"	111
WT30S84-STSX	84"	30"	121



WT30S72-STSX



## LAVATORY

Elkay lavatory sinks are available in a variety of styles and sizes. Select from rectangular, oval and ADA-compliant models, all crafted from Type 304 stainless steel. Elkay's lavatory product offering also includes stainless steel multi-station urinals, ideal for men's commercial restrooms in high-traffic facilities, such as stadiums and schools.

## Lavatory Wash Sinks, Rectangular Compartment

- 18-gauge, Type 304 stainless steel
- Sink dimensions: 22"L x 19"W x 10"D
- Bowl dimensions: 16"L x 11-1/2"W x 5-1/2"D
- 1-3/4" coved corners, 2-1/2"-high backsplash, and 2-1/2" apron front and sides
- Front and side decks with raised rim
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- Drain placement provides more usable space on the bottom of the sink
- 1-5/8" drain opening
- Furnished with wall hanger and integral stainless steel support brackets
- Carries NSF International certification



**ELV2219CS3**

### ELV2219 series

Model	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
ELV22191					1
ELV22193					3
ELV2219CS3					CS3
ELV2219SACC ▼				•	1
ELV2219SACMC ▼		•		•	1
ELV2219SACTMC ▼			•	•	1
ELVWO22191	•				1
ELVWO22193	•				3
ELVWO2219CS3	•				CS3
ELVWO2219SACC ▼	•			•	1
ELVWO2219SACMC ▼	•	•		•	1
ELVWO2219SACTMC ▼	•		•	•	1

\*Includes LKB721C sensor faucet and AC/battery power.



## Lavatory Wash Sinks, Oval Compartment

- 18-gauge, Type 304 stainless steel
- Sink dimensions: 18"L x 17-1/16"W x 5-13/16"D
- Bowl dimensions: 13-5/8"L x 10-1/8"W x 5-13/16"D
- Anti-splash rim
- 5-1/2"-high backsplash
- 2"-wide apron
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- 1-5/8" drain opening
- Furnished with stainless steel wall support brackets



ELV1817CS3

### ELV1817

Model	Holes
ELV18173	3
ELV1817CS3	CS3

## ADA Lavatory Wash Sinks

- 18-gauge, Type 304 stainless steel
- Sink dimensions: 19"L x 23"W x 9"D
- Bowl dimensions: 13-1/2"L x 16"W x 4"D
- Uniform Lustrous Satin finish
- 1-3/4" covered corners; 2-1/2" apron, front and sides; 2-1/2"-high backsplash
- Wide top deck with raised rim
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- Drain placement provides more usable space on the bottom of the sink
- 1-5/8" drain opening
- Furnished with wall hanger and integral stainless steel support brackets
- Carries NSF International certification



**WCL1923OSDC**

### Sensor faucet packages

Model	Overflow	Faucet*	Holes
WCL1923OSDC		•	3
WCLWO1923OSDC	•	•	3

\*Includes faucet LKD232SBH5C



### Sensor faucet kits

Model	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
WCL1923OSDSACC ▼				•	1
WCL1923OSDSACMC ▼		•		•	1
WCL1923OSDSACTMC ▼			•	•	1
WCLWO1923OSDSACC ▼	•			•	1
WCLWO1923OSDSACMC ▼	•	•		•	1
WCLWO1923OSDSACTM C ▼	•		•	•	1

\*Includes LKB721C sensor faucet and AC/battery power



### Sink only

Model	Overflow	Holes
WCL1923OSD1		1
WCL1923OSD3		3
WCLWO1923OSD1	•	1
WCLWO1923OSD3	•	3



## Multiple Station Urinals

- 14-gauge, Type 304 stainless steel
- Welded, seamless 1/4" covered corners
- Full-length sloping backsplash with flush pipe
- 1-1/2"-wide top-channel rims with 2" flat front apron
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- Furnished with continuous-length wall hanger and integral stainless steel mounting "Z" brackets
- Exposed surfaces polished to a Satin finish
- Designed for use with any water-control flush valve, time valve or tank
- Easy to clean and sanitize
- LK177 strainer included



EU6014C

### With exposed flush pipe

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EU4814C Ⓢ ⊕	48"	14"	46-1/2"	11"	50
EU6014C Ⓢ	60"	14"	58-1/2"	11"	65



EU4814C

### With integral hood

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EUH4814C Ⓢ	48"	14"	46-1/2"	11"	55
EUH6014C Ⓢ	60"	14"	58-1/2"	11"	65



EUH4814C

## CuVerro Antimicrobial Copper Lavatory Sinks

- 18-gauge, CuVerro antimicrobial copper
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours
- Continuously reduces bacterial contamination
- Supplements routine cleaning and sanitizing
- Lustrous Satin finish
- Aesthetically pleasing, soft rose hue
- Sink drain opening measures 1-1/2"
- Sound-deadening pad(s) minimizes sound and vibration




ELUH9-CU





LLVR1916CS3-CU

### Undermount

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH9-CU 	11-3/8"	11-3/8"	4-3/4"	9"	9"
ELUH12-CU 	14-3/8"	14-3/8"	6"	12"	12"
ELUH1511-CU 	18"	14"	6"	15-1/2"	11-3/8"
ELUH16-CU 	18-3/8"	18-3/8"	8"	16"	16"

### Undermount with overflow

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12LV-CU 	14-3/8"	14-3/8"	6"	12"	12"
ELUH16LV-CU 	18-3/8"	18-3/8"	8"	16"	16"

### Drop-in with overflow

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LLVR1916-CU	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3

## Stainless Steel Undermount Sinks

### Lavatory sinks

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH9 Ⓞ	11-3/8"	11-3/8"	4-3/4"	9"	9"
ELUH12LV	14-3/8"	14-3/8"	6"	12"	12"
ELUH1511	18"	14"	6"	15-1/2"	11-3/8"
ELUH16LV	18-3/8"	18-3/8"	8"	16"	16"



ELUH12LV



ELUH1511



## SCRUB AND HAND WASH

Scrub and hand wash sinks are designed specifically for health care applications in hospitals, medical clinics, dental facilities and doctors' offices. Elkay's wide range of products include surgeon's lavatory, scrub and hand wash sinks, with many models featuring sensor-, knee- or foot-operated faucets for hands-free washing. Plus, our stainless steel sinks provide bacterial cleanability superior to other materials.

## Surgeon's Lavatory Sinks With Instrument Trays

- 16-gauge, Type 304 stainless steel
- Sink dimensions: 28"L x 20"W x 14"D
- Bowl dimensions: 14"L x 14"W x 7-1/2"D
- Integral instrument tray dimensions: 3-3/4"L x 14"W
- 1-3/4" coved corners
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- Furnished with stainless steel support brackets
- Mounts 1-1/2" from wall
- 2" drain opening
- Easy to clean and sanitize



ESLV2820W6C

### ESLV2820W4C wristblade faucet package

Model	Faucet*	Grid Drain	Holes
ESLV2820W4C ⌘ ▼	•	•	3

\*Includes faucet LK940GN05T4H



### ESLV2820W6C wristblade faucet package

Model	Faucet*	Grid Drain	Holes
ESLV2820W6C ⌘ ▼	•	•	3

\*Includes faucet LK940GN05T6H

### Sensor faucet packages

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
ESLV2820SACC ⌘ ▼			•	•	1
ESLV2820SACMC ⌘ ▼	•		•	•	1
ESLV2820SACTMC ⌘ ▼		•	•	•	1

\*Includes LKB721C sensor faucet and AC/battery power



### Foot control package

Model	Grid Drain	Holes
ESLV2820FC ⌘ ▼	•	1

Includes LK398C foot control and LK396A spout

### Knee control package

Model	Grid Drain	Holes
ESLV2820KC ⌘ ▼	•	1

Includes LK397C knee control and LK396A spout



### Sink only

Model	Holes
ESLV28201 ⌘	1
ESLV28203 ⌘	3



ESLV28201



## Wall Scrub Sinks 25" x 19-1/2"

- 14-gauge, Type 304 stainless steel
- Sink dimensions: 25"L x 19-1/2"W x 10-1/2"D
- Bowl dimensions: 22"L x 16"W x 10-1/2"D
- 1-3/4" radius coved corners
- 1-1/2" rolled rims
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish
- 3-1/2" drain opening
- Furnished with wall hanger and stainless steel support brackets
- 6"-high, full-length backsplash



**EWS2520W4C**

### 4" wristblade faucet package

Model	Faucet*	Holes
EWS2520W4C ▼	•	2

\*Includes faucet LK940GN05T4H



### 6" wristblade faucet package

Model	Faucet*	Holes
EWS2520W6C ▼	•	2

\*Includes faucet LK940GN05T6H



### Sensor faucet packages

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
EWS2520SACC ▼			•	1
EWS2520SACMC ▼	•		•	1
EWS2520SACTMC ▼		•	•	1

\*Includes LKB722C sensor faucet and AC/battery power



**EWS2520SACC**

### Foot control package

Model	Holes
EWS2520FC ▼	1

Includes LK398C foot control and LK396 spout



## Wall Scrub Sinks 31" x 19-1/2"

- 14-gauge, Type 304 stainless steel
- Sink dimensions: 31"L x 19-1/2"W x 10-1/2"D
- Bowl dimensions: 28"L x 16"W x 10-1/2"D
- 1-3/4" radius coved corners
- 1-1/2" rolled rims
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish
- 3-1/2" drain opening
- Furnished with wall hanger and stainless steel support brackets
- 6"-high, full-length backsplash



EWS31202

### 4" wristblade faucet package

Model	Faucet*	Holes
EWS3120W4C ▼	.	2

\*Includes faucet LK940GN05T4H



### 6" wristblade faucet package

Model	Faucet*	Holes
EWS3120W6C ▼	.	2

\*Includes faucet LK940GN05T6H



### Sensor faucet packages

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
EWS3120SACC ▼			.	1
EWS3120SACMC ▼	.		.	1
EWS3120SACTMC ▼		.	.	1

\*Includes LKB722C sensor faucet and AC/battery power



EWS3120SACC

### Foot control package

Model	Holes
EWS3120FC ▼	1

Includes LK398C foot control and LK396A spout



## Wall Scrub Sinks 31" x 19-1/2"

### Knee control package

Model	Holes
EWS3120KC ▼	1

Includes LK397C knee control and LK396A spout



### Sink only

Model	Holes
EWS31201	1
EWS31202	2



EWS31202

## Wall Scrub Sinks, Wall Mount

- Type 304 stainless steel basin
- Sink dimensions: 16-3/4"L x 15-1/2"W x 13"D
- Bowl dimensions: 12"L x 9-1/4"W x 6"D
- 1-3/4" radius coved corners
- 7"-high, full-length backsplash with 45-degree angle sloped top
- Exposed surfaces have a Brushed finish
- 2" drain opening
- Easy to clean and sanitize
- Furnished with hanger and integral stainless steel support brackets



CHS1716C

### Lever faucet package

Model	Faucet*	Side Splashes	Holes
CHS1716C	•		2
CHS1716LRSC ▼	•	•	2

\*Includes LK940GN04L2H faucet



### Sensor faucet packages

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Side Splashes	Holes
CHS1716LRSSACC ▼			•	•	1
CHS1716LRSSACMC ▼	•		•	•	1
CHS1716LRSSACTMC ▼		•	•	•	1
CHS1716SACC ▼			•		1
CHS1716SACMC ▼	•		•		1
CHS1716SACTMC ▼		•	•		1

\*Includes LKB722C sensor faucet and AC/battery power



CHS1716SACC

### Sink only

Model	Side Splashes	Holes
CHS17161		1
CHS17162		2
CHS1716LRS1	•	1
CHS1716LRS2	•	2



## Hand Wash Sinks, Pedestal Mount

- Type 304 stainless steel basin
- Sink dimensions: 16-3/4"L x 15-1/2"W x 43"D
- Bowl dimensions: 12"L x 9-1/4"W x 6"D
- 1-3/4" radius coved corners
- 7"-high, full-length backsplash with 45-degree angle sloped top
- Exposed surfaces have a Brushed finish
- Easy to clean and sanitize
- 2" drain opening
- 36" floor to rim
- Stainless steel pedestal



CHSP1716LRSC

### Foot control packages

Model	Grid Drain	Side Splashes	Holes
CHSP1716C	•		1
CHSP1716LRSC ▼	•	•	1

Includes LK399A foot control and LK395A spout



CHSP1716C

### Sensor faucet packages

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Side Splashes	Holes
CHSP1716LRSSACC ▼			•	•	•	1
CHSP1716LRSSACMC ▼	•		•	•	•	1
CHSP1716LRSSACTMC ▼		•	•	•	•	1
CHSP1716SACC Ⓢ ▼			•	•		1
CHSP1716SACMC Ⓢ ▼	•		•	•		1
CHSP1716SACTMC Ⓢ ▼		•	•	•		1

\*Includes LKB722C sensor faucet and AC/battery power



CHSP1716SACC

## Hand Wash Sinks, Wall Mount

- Type 304 stainless steel basin
- Sink dimensions: 16-3/4"L x 15-1/2"W x 13"D
- Bowl dimensions: 12"L x 9-1/4"W x 6"D
- 1-3/4" radius coved corners
- 7"-high, full-length backsplash with 45-degree angle sloped top
- Inverted edge on sink rim
- Exposed surfaces have a Brushed finish
- 2" drain opening
- Easy to clean and sanitize
- Furnished with hanger support bracket



**CHSB17162**

### Lever faucet package

Model	Faucet*	Holes
CHSB1716C	•	2

\*Includes faucet LKB400



**CHSB1716C**

### Sink only

Model	Holes
CHSB17162	2



**CHSB17162**

## Single Station Wash Sinks With Right Drainboard

- 14-gauge, Type 304 stainless steel
- Sink dimensions: 49-1/2"L x 24"W x 18"D
- Bowl dimensions: 18"L x 20-1/2"W x 10"D  
Drainboard dimensions: 30"L x 20-1/2"W
- 1/4" radius vertical and horizontal coved corners with 1-1/2" rolled rims
- 8"-high, full-length backsplash with 45-degree sloped top
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish
- Easy to clean and sanitize
- 3-1/2" drain opening
- Furnished with wall hanger and stainless steel support brackets



ESS4924RW4C

### 4" wristblade faucet package

Model	Faucet*	Grid Drain	Holes
ESS4924RW4C ⌘ Ⓞ ▼	•	•	2

\*Includes faucet LK940GN08T4H and LK18B drain



### 6" wristblade faucet package

Model	Faucet*	Grid Drain	Holes
ESS4924RW6C ⌘ Ⓞ ▼	•	•	2

\*Includes faucet LK940GN008T6H and LK18B drain



### Sensor faucet packages

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
ESS4924RSACC ⌘ ▼			•	•	1
ESS4924RSACMC ⌘ ▼	•		•	•	1
ESS4924RSACTMC ⌘ ▼		•	•	•	1

\*Includes LKB722C sensor faucet and AC/battery power



### Foot control package

Model	Grid Drain	Holes
ESS4924RFC ⌘ ▼	•	1

Includes LK398C foot control and LK395A spout



### Knee control package

Model	Grid Drain	Holes
ESS4924RKC ⌘ ▼	•	1

Includes LK397C knee control and LK395A spout



### Sink only

Model	Holes
ESS4924R1 ⌘	1
ESS4924R2 ⌘ Ⓞ	2



### Sink only without backsplash

Model
ESS4220R



## Multiple Station Wash Sinks

- 14-gauge, Type 304 stainless steel
- 1/4" covered corners
- 1-1/2"-wide inward-sloping top-channel rims with 2" flat apron
- 10"-high, full-length backsplash
- Square rim corners
- 3-1/2" drain opening
- Exposed surfaces are blended by hand to a uniform Lustrous finish
- Furnished with wall hanger and stainless steel support brackets



**EWMA4820C**

### 48" two-station wash sinks

Model	Holes
EWMA48202	2
EWMA48204	4

Sink dimensions: 48"L x 20"W x 25-3/4"D  
Bowl dimensions: 45"L x 16-1/2"W x 8"D



**EWMA48204**

### 48" two-station wash sinks with wristblade faucet package

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
EWMA4820C ▼			•		4
EWMA4820SACC ▼			•	•	1
EWMA4820SACMC ▼	•		•	•	1
EWMA4820SACTMC ▼		•	•	•	1

\*Includes two LK940GN05T4H faucets and one LK18B drain



**EWMA4820C**

### 60" three-station wash sinks

Model	Holes
EWMA60203	3
EWMA60206	6

Sink dimensions: 60"L x 20"W x 25-3/4"D  
Bowl dimensions: 57"L x 16-1/2"W x 8"D



**EWMA60203**

### 60" three-station wash sinks with wristblade faucet package

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
EWMA6020C ▼			•		6
EWMA6020SACMC ▼	•		•	•	1
EWMA6020SACTMC ▼		•	•	•	1

\*Includes three LK940GN05T4H faucets and one LK18B drain



**EWMA6020C**



## Multiple Station Wash Sinks

### 60" three-station wash sinks with sensor faucet package

Model	Faucet*	Grid Drain	Holes
EWMA6020SACC ▼	•	•	1

\*Includes three LKB722 sensor faucets, AC/battery power and one LK18B drain



### 72" three-station wash sinks

Model	Holes
EWMA72203	3
EWMA72206	6

Sink dimensions: 72"L x 20"W x 25-3/4"D  
Bowl dimensions: 69"L x 16-1/2"W x 8"D



### 72" three-station wash sinks with wristblade faucet package

Model	Faucet*	Holes
EWMA7220C ▼	•	6

\*Includes three LK940GN05T4H faucets and one LK18B drain



### 72" three-station wash sinks with sensor faucet packages

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
EWMA7220SACC ▼			•	•	1
EWMA7220SACMC ▼	•		•	•	1
EWMA7220SACTMC ▼		•	•	•	1

\*Includes three LKB722 sensor faucets, AC/battery power and one LK18B drain



### 96" four-station wash sinks

Model	Holes
EWMA96204	4
EWMA96208	8

Sink dimensions: 96"L x 20"W x 25-3/4"D  
Bowl dimensions: 93"L x 16-1/2"W x 8"D



### 96" four-station wash sinks with wristblade faucet package

Model	Faucet*	Holes
EWMA9620C ▼	•	8

\*Includes four LK940GN05T4H faucets and one LK18B drain



### 96" four-station wash sinks with sensor faucet packages

Model	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet *	Grid Drain	Holes
EWMA9620SACC ▼			•	•	1
EWMA9620SACMC ▼	•		•	•	1
EWMA9620SACTMC ▼		•	•	•	4

\*Includes four LKB722 sensor faucets, AC/battery power and one LK18B drain



## Knee-operated Wash Sinks

- 16-gauge, Type 304 stainless steel
- Knee-operated water and soap push panels
- Exposed surfaces are polished to a Satin finish
- Latched front panel
- User-adjustable water temperature valve
- Full-length backsplash
- 3-1/2" drain opening
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink



**EWSF26026KWSC**

### Single compartment with knee-operated soap and water

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
<b>EWSF13026KWSC</b> ⌘	30"	23"	26"	16-1/4"	85

Includes LK394A spout and LK18B drain



**EWSF13026KWSC**

### Single compartment with knee-operated water

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
<b>EWSF13026KWC</b> ⌘	30"	23"	26"	16-1/4"	85

Includes LK394A spout and LK18B drain

### Double compartment with knee-operated soap and water

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
<b>EWSF26026KWC</b> ⌘	60"	23"	26"	16-1/4"	150

Includes two LK394A spouts and two LK18B drains



**EWSF26026KWC**

### Double compartment with knee-operated water

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
<b>EWSF26026KWSC</b> ⌘	60"	23"	26"	16-1/4"	150

Includes two LK394A spouts and two LK18B drains

### Triple compartment with knee-operated soap and water

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
<b>EWSF39026KWC</b> ⌘	90"	23"	28"	16-1/4"	210

Includes three LK394A spouts and three LK18B drains



**EWSF39026KWC**

## Sensor-operated Wash Sinks

- 16-gauge, Type 304 stainless steel
- Keyed access door(s) to hide plumbing
- 4"-high, full-length backsplash
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- Coved corners
- Wall hanger
- Full enclosure
- Exposed surfaces are polished to a uniform Lustrous finish
- 3-1/2" drain opening
- Double- and triple-compartment models include removable, clear acrylic partitions



EWSF130261

## Single-compartment sensor faucet package

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EWSF13026SACC ▼	30"	23"	26"	16-1/4"	96
Includes LKB721C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain					



EWSF13026SACC

## ADA-compliant, single-compartment sensor faucet package

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EWSFAD13620SACC ▼	33"	16-13/16"	33"	16-1/2"	146
Includes LKB722C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain					



EWSFAD13620SACC

## Single-compartment sink

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EWSF130261	30"	23"	26"	16-1/4"	85



EWSF130261

## ADA-compliant, single-compartment sink

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EWSFAD136201	33"	16-13/16"	33"	16-1/2"	140



EWSFAD136201

## Sensor-operated Wash Sinks

### Double-compartment sensor faucet package

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EWSF26026SACC ▼	60"	23"	28"	16-1/4"	172



**EWSF26026SACC**

### Double-compartment sink

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EWSF260262	60"	23"	28"	16-1/4"	150

Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains



**EWSF260262**

### Triple-compartment sensor faucet package

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EWSF39026SACC ▼	90"	23"	28"	16-1/4"	243

Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains



**EWSF39026SACC**

### Triple-compartment sink

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EWSF390263	90"	23"	28"	16-1/4"	210



**EWSF390263**



## SERVICE AND UTILITY

Our service and utility sinks are ideal for the heavy janitorial requirements in schools, hospitals, industrial facilities and office buildings. Designed to withstand abuse from buckets, mops and other maintenance equipment, Elkay service sinks will provide years of performance. This expansive portfolio includes the Sturdibilt® line of scullery sinks, making it one of the most versatile lineups in the industry.

## Wall Service Sinks

- 14-gauge, Type 304 stainless steel
- 1-3/4" covered corners
- 1-1/2" rolled rims
- 12"-high, full-length backsplash
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish
- 3-1/2" drain opening
- Furnished with wall hanger and stainless steel support brackets



ESSW2520C

### Cross-arm faucet packages

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
ESS2118C ▼	21"	17-1/2"	18"	14"	48
ESS2319C ▼	23"	18-1/2"	20"	15"	66
ESS2520C ▼	25"	19-1/2"	22"	16"	66

Includes faucet LK69C



ESS2520C

### Lever faucet package

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
ESSB2118C ▼	21"	17-1/2"	18"	14"	75

Includes faucet LK940BR03L2H



### ESSB lever faucet packages

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
ESSB2319C ▼	23"	18-1/2"	20"	15"	80
ESSB2520C ▼	25"	19-1/2"	22"	16"	85

Includes faucet LK940BR03L2H



ESSB2520C

### ESSW lever faucet packages

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
ESSW2118C ▼	21"	17-1/2"	18"	14"	75
ESSW2319C ▼	23"	18-1/2"	20"	15"	80
ESSW2520C ▼	25"	19-1/2"	22"	16"	85

Includes faucet LKB940C



ESSW2319C

### Sink only

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
ESS21182	21"	17-1/2"	18"	14"	26
ESS23192	23"	18-1/2"	20"	15"	44
ESS25202	25"	19-1/2"	22"	16"	44



ESS23192

## Sturdibilt Scullery Sinks

- 14-gauge, Type 304 stainless steel
- Square-corner-welded compartment construction
- Distinctive channel rim design with 2" apron minimizes spillover
- 14"-deep compartments
- 8"-high, full-length backsplash with 45-degree slope to resist grime
- Sink compartments pitched to drain
- 3-1/2" drain opening
- Sink polished to a uniform Lustrous Satin finish
- Sink supported on four LK251 stainless steel adjustable tubular legs
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet



SS81362

### Optional Accessories

SSD24 24" detachable drainboard

### Single compartment - no drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
SS81242	27"	27-1/2"	24"	24"	80
SS81302	33"	27-1/2"	30"	24"	89
SS81362	39"	27-1/2"	36"	24"	96



SS81242

### Single compartment - left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8124L2	49-1/2"	27-1/2"	24"	24"	24"	105
SS8130L2 Ⓢ Ⓞ	55-1/2"	27-1/2"	30"	24"	24"	112
SS8136L2 Ⓢ Ⓞ	61-1/2"	27-1/2"	36"	24"	24"	121



SS8124L2

### Single compartment - right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8124R2	49-1/2"	27-1/2"	24"	24"	24"	105
SS8130R2 Ⓢ Ⓞ	55-1/2"	27-1/2"	30"	24"	24"	112
SS8136R2 Ⓢ Ⓞ	61-1/2"	27-1/2"	36"	24"	24"	121







SS8124R2



## Sturdebilt Scullery Sinks








### Single compartment - left and right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8124LR2 	72"	27-1/2"	24"	24"	24"	187
SS8130LR2  	78"	27-1/2"	30"	24"	24"	172
SS8136LR2 	84"	27-1/2"	36"	24"	24"	208



SS8124LR2









### Double compartment - no drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
SS82302 	33"	27-1/2"	15"	24"	95
SS82362 	39"	27-1/2"	18"	24"	104
SS82422 	45"	27-1/2"	21"	24"	150
SS82482 	51"	27-1/2"	24"	24"	121
SS82542  	57"	27-1/2"	27"	24"	130
SS82602 	63"	27-1/2"	30"	24"	138



SS82482









### Double compartment - left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8230L2 	55-1/2"	27-1/2"	15"	24"	24"	120
SS8236L2 	61-1/2"	27-1/2"	18"	24"	24"	130
SS8248L2  	73-1/2"	27-1/2"	24"	24"	24"	201
SS8254L2  	79-1/2"	27-1/2"	27"	24"	24"	212
SS8260L2  	85-1/2"	27-1/2"	30"	24"	24"	222



SS8248L2








### Double compartment - right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8230R2  	55-1/2"	27-1/2"	15"	24"	24"	120
SS8236R2 	61-1/2"	27-1/2"	18"	24"	24"	130
SS8248R2 	73-1/2"	27-1/2"	24"	24"	24"	201
SS8254R2  	79-1/2"	27-1/2"	27"	24"	24"	212
SS8260R2  	85-1/2"	27-1/2"	30"	24"	24"	222



SS8248R2

### Double compartment - left and right drainboard





Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8230LR2 	78"	27-1/2"	15"	24"	24"	198
SS8236LR2 	84"	27-1/2"	18"	24"	24"	216
SS8248LR2  	96"	27-1/2"	24"	24"	24"	224
SS8254LR2  	102"	27-1/2"	27"	24"	24"	246
SS8260LR2  	108"	27-1/2"	30"	24"	24"	267



SS8248LR2

## Sturdebilt Scullery Sinks







### Triple compartment - no drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
SS83454 	48"	27-1/2"	15"	24"	125
SS83544 	57"	27-1/2"	18"	24"	140
SS83604  	63"	27-1/2"	20"	24"	160
SS83724  	75"	27-1/2"	24"	24"	227



SS83454







### Triple compartment - left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8345L4  	70-1/2"	27-1/2"	15"	24"	24"	151
SS8354L4  	79-1/2"	27-1/2"	18"	24"	24"	166
SS8372L4  	97-1/2"	27-1/2"	24"	24"	24"	253



SS8345L4







### Triple compartment - right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8345R4  	70-1/2"	27-1/2"	15"	24"	24"	151
SS8354R4  	79-1/2"	27-1/2"	18"	24"	24"	166
SS8372R4  	97-1/2"	27-1/2"	24"	24"	24"	253



SS8345R4

### Triple compartment - left and right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	Ship Weight (lbs)
SS8345LR4 	93"	27-1/2"	15"	24"	24"	241
SS8354LR4  	102"	27-1/2"	18"	24"	24"	256
SS8360LR4  	108"	27-1/2"	20"	24"	24"	280
SS8372LR4 	120"	27-1/2"	24"	24"	24"	304



SS8345LR4

## Floor Service Sinks

- 16-gauge, Type 304 stainless steel
- Eliminates high lifting of heavy containers
- Fits into closet corners and limited work spaces
- 1-3/4" coved corners
- Apron on three sides
- Top has 5/32" raised rims
- Exposed surfaces are polished to a Lustrous Satin finish
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- Furnished with wall hanger



**EFS3321C**

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Ship Weight (lbs)
EFS2523C	25"	23"	20-1/16"	17-15/16"	39
EFS3321C	33"	21"	28"	16"	44



**EFS2523C**

## Back and Side Panels for Floor Service Sinks

- For use on EFS model floor sinks
- 18-gauge, Type 304 stainless steel
- 1/2" returns on all sides
- Furnished with concealed wall hangers
- Protects walls from splashing
- Easy to clean and sanitize



**EFSSP23**

Model	Overall Length	Overall Width	Ship Weight (lbs)
EFSBP25	25"	12"	6
EFSBP33 ⌘	33"	12"	8
EFSSP21 ⌘	20-3/8"	12"	6
EFSSP23	22-3/8"	12"	6



**EFSBP25**



## CLASSROOM

Elkay classroom sinks offer the versatility and durability required for multitasking in the classroom. Available as complete packages with faucet, Flexi-Guard® Safety Bubbler and strainer, our classroom sinks provide one area for hand washing, light cleanup and hydrating.

## Lustertone Classic Classroom Sinks, Double Bowl

- 18-gauge, Type 304 stainless steel
- 1-3/4" radius coved corners
- Exposed surfaces are hand blended to a Lustrous Highlighted Satin finish
- Recessed bowls and faucet deck
- 5/32" raised rim
- 3-1/2" drain opening on large bowl
- 2" drain opening on small bowl
- LRAD models comply with ADA requirements

Sink kits include LKD2439C faucet, LK1141A bubbler, LK35 strainer and LK8 drain fitting

Model	Overall Dimensions (L x W x D)	Left Bowl Dimensions (L x W x D)	Right Bowl Dimensions (L x W x D)	Hole Options	Additional Depths
DRKAD371755LC Ω	37-1/4" x 17" x 5-1/2"	9-1/4" x 12" x 5-3/8"	16" x 11-1/2" x 3-1/2"	4	^
DRKAD371755RC Ω	37-1/4" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4	^
DRKR3717RC ⊙	37-1/4" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4	



DRKAD371755LC



DRKAD371755RC

### Sink only

Model	Overall Dimensions (L x W x D)	Left Bowl Dimensions (L x W x D)	Right Bowl Dimensions (L x W x D)	Hole Options
DRKAD371755L4 Ω	37-1/4" x 17" x 5-1/2"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 5-3/8"	4
DRKAD371755R4 Ω	37-1/4" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4
DRKR3717L4	37-1/4" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR3717R4	37-1/4" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4



DRKR3717L4



DRKR3717R4

^Also available in 4", 4-1/2", 5", 6" and 6-1/2" bowl depths.

Note: "L" version comes with wing handle on left of faucet. "R" version comes with wing handle on right of faucet.

## Lustertone Classic Double Ledge Sinks, Single Bowl

Sink kits include LKD2439C faucet, LK1141A bubbler and LK35 strainer

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options	Additional Depths
DRKAD251755C Ω	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	4	^
DRKAD311955C Ω	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	4	^
DRKR2517C Ω	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	4	
DRKR3119C Ω	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	4	



DRKAD251755C

Sink kit includes LKD2432C faucet, LK1141A bubbler and LKJ35 strainer

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
DRKRC2220C Ω	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4



DRKRC2220C

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer and EWF172 water filter 

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
DRKAD251765FC Ω	25" x 17" x 6-1/2"	16" x 13-1/2" x 6-3/8"	4



DRKAD251765FC

### Sink only

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options	Additional Depths
DRKAD251755 Ω	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKAD311955 Ω	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKR2517 Ω	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	2, 2FRM, 2LM, 4, FR4	^
DRKR3119 Ω	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	2, 2FRM, 2LM, 4	^



DRKAD2517554



DRKR31192



## Lustertone Classic Rear and Side Ledge Sinks, Single Bowl

Sink kits include LKD2439C faucet, LK1141A bubbler and LK35 strainer

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options	Additional Depths
DRKAD222055C Ω	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	4	^
DRKR2220C Ω	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4	



DRKAD222055C

### Sink only

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options	Additional Depths
DRKAD222055 Ω	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKAD222055L Ω	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	^
DRKAD222055R Ω	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	^
DRKAD252255 Ω	25" x 22" x 5-1/2"	16" x 19" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKAD252255L Ω	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^
DRKAD252255R Ω	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^
DRKR2220	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	2, 2FRM, 2LM, 4	
DRKR2220L	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4	
DRKR2220R	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4	
DRKR2522	25" x 22" x 7-5/8"	16" x 19" x 7-1/2"	2, 2LM, 4	
DRKR2522L	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4	
DRKR2522R	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4	



DRKAD222055L4



DRKR2220R4

^Also available in 4", 4-1/2", 5", 6" and 6-1/2" bowl depths.

Note: "L" version comes with wing handle on left of faucet. "R" version comes with wing handle on right of faucet.

## Lustertone Classic Single Ledge Sinks, Single Bowl

### Sink only

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options	Additional Depths
DRKAD221755 Ω	22" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	1, 2	^
DRKR2217	22" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	1, 2	



DRKAD2217552

^Also available in 4", 4-1/2", 5", 6" and 6-1/2" bowl depths.



## Lustertone Classic Triple Ledge Sinks, Single Bowl

Sink kits include LKF413945RS faucet, LK1141A bubbler and LKAD35 strainer 

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options	Additional Depths
DRKAD282255LC 	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	^
DRKAD282255RC 	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	^



DRKAD282255RC

Sink only 

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options	Additional Depths
DRKAD282255	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	L, R	^



DRKAD282255R

^Also available in 4", 4-1/2", 5", 6" and 6-1/2" bowl depths.

Note: "L" version comes with wing handle on left of faucet. "R" version comes with wing handle on right of faucet.

## Lustertone Classic Sink Sets

Sink sets include LKD2439C faucet, LK1141A bubbler, LK35 strainer and LK8 drain fitting

Model	Overall Dimensions (L x W x D)	Left Bowl Dimensions (L x W x D)	Right Bowl Dimensions (L x W x D)	Hole Options
DRKR23417LC	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR23417RC	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4
DRKR24119LC	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4
DRKR24119RC	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4



DRKR23417LC



DRKR24119RC

## Sink only

Model	Overall Dimensions (L x W x D)	Left Bowl Dimensions (L x W x D)	Right Bowl Dimensions (L x W x D)	Hole Options
DRKAD2341755L4 Ⓞ	34" x 17" x 5-1/2"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 5-3/8"	
DRKAD2341755R4 Ⓞ	34" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	
DRKR23417L4	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR23417R4	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4
DRKR24119L4	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4
DRKR24119R4	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4



DRKR23417R4



DRKR24119L4

Note: "L" version comes with wing handle on left of faucet. "R" version comes with wing handle on right of faucet.

## Celebrity Classroom Sinks

- 20-gauge, Type 304 stainless steel
- 1-3/4" radius coved corners
- Exposed surfaces polished to a Brushed Satin finish
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- 3-1/2" drain opening
- Top has 5/32" raised rims
- PSDKAD models comply with ADA requirements

### Sink kit includes LKD208513LC faucet, LK35 drain and LK1141A bubbler

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
PSDKR2517C	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2



PSDKR2517C

### Sink kit includes LKDVR208513LC faucet, LKVR18 drain and LKVR1141A bubbler

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
PSDKR2517VRC	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2



PSDKR2517VRC

### Sink only

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
PSDKAD251755	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2LM, 4
PSDKR2517	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2, 2LM, 4



PSDKR25172

### Celebrity Classroom Sinks

- 20-gauge, Type 304 stainless steel
- 3" corner radius
- Exposed surfaces polished to a Brushed Satin finish
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink
- 3-1/2" drain opening
- Top has 5/32" raised rims
- CDKAD models comply with ADA requirements

#### Sink kits include LKD208513LC faucet, LK35 drain and LK1141A bubbler

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
CDKAD251765C	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2
CDKR2517C	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



#### Sink kits include LKDVR208513LC faucet, LKVR18 drain and LKVR1141A bubbler

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
CDKAD2517VRC	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2
CDKR2517VRC	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



CDKAD2517VRC

#### Sink kit includes LKD20858C faucet, LKJ35 drain and LK1141A bubbler

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
CDKRC2517C	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



#### Sink only

Model	Overall Dimensions (L x W x D)	Bowl Dimensions (L x W x D)	Hole Options
CDKAD251765	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2, 2LM, 4
CDKR2517	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2, 2LM, 4



CDKR25172



## GENERAL USE

Our general use sinks are ideal for areas that don't require a commercial-grade product but demand the quality and style of an Elkay sink. Choose from a wide selection of kitchen and hospitality sinks in single-, double- and triple-bowl configurations – all for light-duty use in areas like teachers' lounges and kitchenettes.

## CuVerro Antimicrobial Copper Drop-in Sinks

- 18-gauge, CuVerro antimicrobial copper
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours
- Continuously reduces bacterial contamination
- Supplements routine cleaning and sanitizing
- Lustrous Satin finish
- Aesthetically pleasing, soft rose hue
- Sink drain opening measures 3-1/2"
- Sound-deadening pad(s) minimizes sound and vibration



LR13163-CU



DLR2022103-CU

### Single bowl

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316-CU	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1522-CU	15"	22"	7-5/8"	11-1/2"	16"	1, 2, 3, MR2
LR1722-CU	17"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
DLR172210-CU	17"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
LR1918-CU	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2, OS4
LR1919-CU	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2, OS4
DLR191910-CU	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2, OS4
LR2022-CU	19-1/2"	22"	7-5/8"	16"	16"	1, 2, 3, MR2, OS4
DLR202210-CU	19-1/2"	22"	10-1/8"	16"	16"	1, 2, 3, MR2, OS4
LR2219-CU	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, 5, MR2
DLR221910-CU	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, 5, MR2
LR2222-CU	22"	22"	7-5/8"	19"	16"	1, 2, 3, 4, 5, MR2

### Single bowl with ADA depths

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LRAD131655-CU	13"	16"	5-1/2"	10"	10"	1, 2, 3, MR2
LRAD152255-CU	15"	22"	5-1/2"	11-1/2"	16"	1, 2, 3, MR2
LRAD172255-CU	17"	22"	5-1/2"	13-1/2"	16"	1, 2, 3, MR2, OS4
LRAD191855-CU	19"	18"	5-1/2"	16"	11-1/2"	1, 2, 3, MR2, OS4
LRAD191955-CU	19-1/2"	19"	5-1/2"	16"	13-1/2"	1, 2, 3, MR2, OS4
LRAD202255-CU	19-1/2"	22"	5-1/2"	16"	16"	1, 2, 3, MR2, OS4
LRAD221955-CU	22"	19-1/2"	5-1/2"	18"	14"	1, 2, 3, 4, 5, MR2
LRAD222255-CU	22"	22"	5-1/2"	19"	16"	1, 2, 3, 4, 5, MR2
LRAD252155-CU	25"	21-1/4"	5-1/2"	21"	15-3/4"	1, 2, 3, 4, 5, MR2
LRAD252255-CU	25"	22"	5-1/2"	21"	15-3/4"	1, 2, 3, 4, 5, MR2

Models also available in 4", 4-1/2", 5", 6" and 6-1/2" bowl depths

## Stainless Steel Undermount Sinks

- 18-gauge, Type 304 stainless steel
- Lustrous Satin finish
- Sink drain opening measures 3-1/2"
- Sound-deadening pad(s) minimizes sound and vibration

### Single bowl

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH715 Ⓞ	10"	18-1/4"	5"	7-1/2"	15-3/4"
ELUH1111 Ⓞ	14"	14"	6-3/8"	11-1/2"	11-1/2"
ELUH1316	16"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH1716 Ⓞ	18-1/2"	20"	7-1/2"	16"	17-1/2"
ELUH1618 Ⓞ	18-1/2"	20-1/2"	9-1/2"	16"	18"
ELUH2115	23-1/2"	18-1/4"	7-1/2"	21"	15-3/4"
ELUH211510	23-1/2"	18-1/4"	10"	21"	15-3/4"
ELUH281610	30-1/2"	18-1/2"	10"	28"	16"
ELUH714 Ⓞ	9-1/2"	16-5/8"	5-9/16"	7"	14-1/8"



ELUH1316



ELUH211510

### Double bowl

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH3118	30-3/4"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH311810	30-3/4"	18-1/2"	10"	13-1/2"	16"
ELUH3120L	31-1/4"	20-1/2"	9-7/8"	13-1/2"	16"
ELUH3120R	31-1/4"	20-1/2"	9-7/8"	14"	18"



ELUH3118



ELUH3120R

### Hospitality sinks

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12	14-3/8"	14-3/8"	6"	12"	12"
ELUH12FB	14-3/8"	14-3/8"	6"	12"	12"
ELUH16	18-3/8"	18-3/8"	8"	16"	16"
ELUH16FB	18-3/8"	18-3/8"	8"	16"	16"



ELUH12



ELUH16FB



## Stainless Steel Drop-in Sinks

- 18-gauge, Type 304 stainless steel
- Lustrous Satin finish
- Sink drain opening measures 3-1/2"
- Sound-deadening pad(s) minimizes sound and vibration

### Sink kit includes LK500GN04T4C faucet, LK18B drain and LK500 p-trap

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1716C	17"	16"	7-5/8"	14"	10"	1



LR1716C

### Sink kit includes LK500GN04T4SC faucet, LK18B drain and LK500 p-trap

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1716SC	17"	16"	7-5/8"	14"	10"	1

### Sink kit includes LK406GN04T4C faucet, LK18B drain and LK500 p-trap

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1720C	17"	20"	7-5/8"	14"	14"	2
LR2219C	22"	19-1/2"	7-5/8"	18"	14"	2



LR1720C

### Sink kit includes LK406GN04T4SC faucet, LK18B drain and LK500 p-trap

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1720SC	17"	20"	7-5/8"	14"	14"	2
LR2219SC	22"	19-1/2"	7-5/8"	18"	14"	2

## Stainless Steel Drop-in Sinks

Sink kit includes LK810GN04T4C faucet, LK18B drain and LK500 p-trap

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR2522C	25"	22"	8-1/8"	21"	15-3/4"	3



LR2522C

Sink kit includes LK810GN04T4SC faucet, LK18B drain and LK500 p-trap

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR2522SC	25"	22"	8-1/8"	21"	15-3/4"	3

## Stainless Steel Drop-in Sinks

### Single bowl

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
BPSFR1215 ☉	12-1/2"	15"	6-1/8"	9-1/4"	12"	
LFR1313 ☉	13"	13"	7-5/8"	10"	10"	
LR1316 Ω	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LFR1515 ☉	15"	15"	7-5/8"	12"	12"	
BLR15 Ω	15"	15"	7-1/8"	12"	9-1/4"	1, 2, 3, MR2
BLR1516 Ω	15"	15"	7-1/8"	12"	9-1/4"	1, 2, 3, MR2
BLR1560 Ω	15"	15"	6-1/8"	12"	9-1/4"	1, 2, 3, MR2
BPSR15 Ω	15"	15"	6-1/8"	12"	9-1/4"	1, 2, 3
LR1517Ω	15"	17-1/2"	7-5/8"	12"	12"	1, 2, 3, MR2
DLR151710	15"	17-1/2"	10"	12"	12"	1, 2, 3, MR2
LR1522 ☉	15"	22"	7-5/8"	11-1/2"	16"	
LR1716 Ω	17"	16"	7-5/8"	14"	10"	1, 2, 3, MR2, OS4
DLR171610 Ω	17"	16"	10-1/8"	14"	10"	1, 2, 3, MR2, OS4
LFR1717 ☉	17"	17-1/2"	7-5/8"	14"	14"	
LR1720 Ω	17"	20"	7-5/8"	14"	14"	1, 2, 3, MR2, OS4
LFR1915 ☉	19"	15"	7-5/8"	16"	11-1/2"	
LFR1918 ☉	19"	18"	7-5/8"	16"	13-1/2"	
LR1918 Ω	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2, OS4
DLFR191810 ☉	19"	18"	10-1/8"	16"	13-1/2"	
LMR2013 ☉	19-1/2"	13"	6-1/8"	15-3/4"	7-1/2"	
LR1919 Ω	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2, OS4
DLR191910 Ω	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2, OS4
LR2022 Ω	19-1/2"	22"	7-5/8"	16"	16"	1, 2, 3, MR2, OS4
LR2219 Ω	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, 5, MR2
DLR221910 Ω	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, 5, MR2
DLR222212	22"	22"	12-1/8"	19"	16"	1, 2, 3, 4, 5, MR2
DLR222210 Ω	22"	22"	10-1/8"	19"	16"	1, 2, 3, 4, 5, MR2
BPSR2317 ☉ Ω	23"	17"	6-1/8"	9-1/4"	12"	
LFR2519 ☉	25"	19-1/2"	7-5/8"	21"	15-3/4"	
DLFR251912 ☉	25"	19-1/2"	12-1/8"	21"	15-3/4"	
DLFR251910 ☉	25"	19-1/2"	10-1/8"	21"	15-3/4"	
LR2522 Ω	25"	22"	8-1/8"	21"	15-3/4"	1, 2, 3, 4, 5, MR2
DLR252212 Ω	25"	22"	12-1/8"	21"	15-3/4"	1, 2, 3, 4, 5, MR2
DLR252210 Ω	25"	22"	10-3/8"	21"	15-3/4"	1, 2, 3, 4, 5, MR2
LR3122 Ω	31"	22"	7-5/8"	28"	16"	1, 2, 3, 4, MR2
DLR312210 Ω	31"	22"	10-1/8"	28"	16"	1, 2, 3, 4, 5, MR2

## Stainless Steel Drop-in Sinks



LR1517



LR25224

### Double bowl

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR2519 Ω	25"	19-1/2"	7-5/8"	10"	14"	1, 2, 3, 4, MR2
LR2521 Ω	25"	21-1/4"	7-7/8"	21"	15-3/4"	1, 2, 3, 4, MR2
LR3319 Ω	33"	19-1/2"	7-5/8"	14"	14"	1, 2, 3, 4, 5, MR2
LR3321 Ω	33"	21-1/4"	7-7/8"	13-1/2"	16"	1, 2, 3, 4, MR2
LR3322 Ω	33"	22"	8-1/8"	13-1/2"	16"	1, 2, 3, 4, 5, MR2
DLR332212 Ω	33"	22"	12-1/8"	13-1/2"	16"	1, 2, 3, 4, 5, MR2
DLR332210 Ω	33"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, 4, 5, MR2



LR2519



LR33214

### Triple bowl

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LTR4622	46"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, 4, 6
LTR542210	54"	22"	10-1/8"	16"	16"	1, 2, 3, 4, 6



LTR46226



LTR5422106

## Stainless Steel Drop-in Specialty Sinks

- 16-gauge, Type 316 stainless steel
- Buffed Satin finish
- 1-3/16" flat rim with crimped edges
- Drain opening measures 1-1/2"



CUPR4

### Specialty sinks

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
CUPR4	6-3/8"	6-3/8"	4"	4"	4"
CUPR5	7-3/8"	7-3/8"	4"	5"	5"
CUPR6	8-7/8"	8-7/8"	5"	6-1/2"	6-1/2"

## Stainless Steel Drop-in Lavatory Sinks

- Type 304 stainless steel
- Drain opening measures 1-1/2"
- Sound-deadening pad(s) minimizes sound and vibration



LLVR19163



RLLVR12

## 18-gauge sinks with Lustrous Satin finish

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
RLLVR12	14-3/8"	14-3/8"	6"	12"	12"	
LLVR1310	16"	12-1/2"	5-13/16"	13-5/8"	10-1/8"	
RLLVR16	18-3/8"	18-3/8"	8"	16"	16"	
LLVR19	19"	19"	7"	14"	14"	1, 2, 3, CS3
LLVR1916	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3



LLVR1310



RLLVR12













## 20-gauge sink with Brushed Satin finish

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
PSLVR1917	19"	17"	6-1/8"	16"	11-1/2"	1, 2, 3











PSLVR1917CS3




## Drain Fittings for 3-1/2" drain openings (4-1/2" top diameter)

Model	Description	Image
LK173	Adjustable P-Trap With Cast Iron Enameled Interior	
LK18	3-1/2" Drain, Nickel-plated Brass Body, Strainer and Tailpiece	
LK18B	3-1/2" Drain, Type 304 Stainless Steel Body, Strainer and Tailpiece	
LK2	3-1/2" Drain With Rubber Stopper	
LK20	3-1/2" Drain With Removable 13" (11-1/2" assembled) Standpipe, 13" Rubber Stopper	
LK24RT	3-1/2" Drain Fitting, Rotary Lever Operated With 1-1/2" OD Tailpiece	
LK25RT	3-1/2" Drain Fitting, Rotary Lever Operated With 2" OD Tailpiece	
LK27	3-1/2" Drain Fitting, Lever Operated	
LK335	3-1/2" Drain Fitting, Type 316 Stainless Steel Body, Strainer Basket With Rubber Seal and Tailpiece	
LK35	3-1/2" Drain Fitting, Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK35B	3-1/2" Drain Fitting, Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK372	3-1/2" Drain Fitting, Type 316 Stainless Steel Body, Strainer and Tailpiece	

**Drain Fittings for 3-1/2" drain openings (4-1/2" top diameter)**


Model	Description	Image
LK86RT	3-1/2" Drain Fitting, Rotary Lever Operated With Overflow	
LK87RT	3-1/2" Drain Fitting, Rotary Lever Operated With Overflow	
LK99	Deluxe 3-1/2" Drain, Type 304 Stainless Steel Body, Strainer Basket Rubber Seal and Tailpiece	
LK99S	Deluxe 3-1/2" Drain With Satin Finish, Type 304 Stainless Steel Body, Strainer Basket Rubber Seal and Tailpiece	
LKAD18	3-1/2" Drain, Chrome-plated Brass Body, Strainer and LKADOS Tailpiece	
LKAD35	3-1/2" Drain Fitting, Stainless Steel Body, Strainer Basket and Offset Tailpiece	
LKVR18	3-1/2" Drain, Nickel-plated Brass Body, Vandal-resistant Strainer and Tailpiece	
LKVR18-CU	3-1/2" Drain, CuVerro Antimicrobial Copper Body, Vandal-resistant Strainer and Tailpiece	

**Drain Fittings for 2" to 2-3/8" drain opening**











Model	Description	Image
LK177	2" Drain Fitting, Chrome-plated Brass Beehive Strainer	
LK337	2" Drain Fitting, Type 316 Stainless Steel Body, Grid Strainer and Tailpiece	
LK8	2" Drain Fitting, Type 304 Stainless Steel Body, Grid Strainer and Tailpiece	





## Drain Fittings for 2" to 2-3/8" drain opening

Model	Description	Image
LK9	Drain Fitting, Type 304 Stainless Steel Body, Grid Strainer and Brass Tailpiece	








## Drain Fittings for 1-1/2" to 1-3/4" drain openings (for lavatory sinks with 2-1/4" top diameter)

Model	Description	Image
LK174	1-1/2" Drain Fitting, Chrome-plated Brass With Perforated Grid and Tailpiece	
LK174-CU	1-1/2" Drain Fitting, CuVerro Antimicrobial Copper With Perforated Grid and Tailpiece	
LK174LO	1-1/2" Drain Fitting, Chrome-plated Brass With Perforated Grid and Tailpiece	
LK174LO-CU	1-1/2" Drain Fitting, CuVerro Antimicrobial Copper With Perforated Grid and Tailpiece	
LK175	1-1/2" Drain Fitting, Chrome-plated Brass With Rubber Stopper Ring and Chain	
LK290	3-1/2" Drain Fitting, Center Outlet for Triple Bowl Sinks With Offset Center Drains	
LK52	Drain Fitting, Center Outlet for Double Bowl Sinks	
LK53	Drain Fitting, End Outlet for Double Bowl Sinks	
LK60	Drain Fitting, Center Outlet for Triple Bowl Sinks With Aligned Drains	
LK76	Drain Fitting, End Outlet for Triple Bowl Sinks With Aligned Drains	


**Drain Fittings for 1-1/2" to 1-3/4" drain openings (for lavatory sinks with 2-1/4" top diameter)**

Model	Description	Image
LKAD174	1-1/2" or 1-5/8" Drain Outlet Fitting, Chrome-plated Brass, Perforated Grid and Elbow	
LKAD174LO	1-1/2" or 1-5/8" Drain Outlet Fitting, Chrome-plated Brass, Perforated Grid and Elbow	


**Installation hardware**

Model	Description	Image
LK350	Extra-long Sink Screwdriver	
LK363	Extra-long Screws and Clips, Set of 14	
LK364	Extra-long Screws, Set of 14	
LK463	Hex Head Screws, Hex Nuts and Clips	
LKUCCLIP8	Undermount Bracket Clips, Set of 8	
LKUMSK25	Undermount Support Kit, 25"-long Rails	
LKUMSK36	Undermount Support Kit, 36"-long Rails	






**Cleaner**

Model	Description	Image
LK34	Stainless Steel Sink Restoration Kit	

## Drain Fittings for EFS floor sink

Model	Description	Image
LK43	5-1/2" Drain Fitting, Stainless Steel Dome/Flat Grid Strainer	

## Miscellaneous

Model	Description	Image
LK402	36" Black, Heavy-duty Rubber Hose With Standard Female Faucet Hose Connection on One End	
LK403	Mop Holder, 3-station Wall Mount	
LK404	Stainless Steel Hose Hanger	
LK80	Stainless Steel Soap Dish for Back/Wall Mounting, 3-1/2" x 6"	
SSD24 Ⓢ Ⓞ	Sturdibilt 24" Detachable Drainboard	



## ADA

At Elkay, you'll find an extensive line of products designed to comply with every aspect of the Americans with Disabilities Act Accessibility Guidelines. These sinks and accessories make it easier for businesses, schools and health care facilities to meet federal requirements by equipping sites with products that make facilities accessible to everyone.

## Dart Canyon ADA Sink Kits

- Product is ADA compliant when properly installed
- Rear drain placement puts plumbing at the back, creating barrier-free space under the sink for wheelchair accessibility
- Raised work shelf at front of sink opens to extra-deep 9" bowl
- Reversible grid functions as standard bottom grid, or, flip to elevate with work shelf. Complete with drain and drain cover



**ELDSSF36279DBG**

### 36" workstation

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELDSSF36279DBG	35-7/8"	27-1/4"	9-5/8"	28-7/8"	14-7/16"

Kit includes sink, CTXBG3113R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

### 33" workstation

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELDSSF33279DBG	32-7/8"	27-1/4"	9-5/8"	28-7/8"	14-7/16"

Kit includes sink, CTXBG2813R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

### 30" workstation

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELDSSF30279DBG	29-7/8"	27-1/4"	9-5/8"	28-7/8"	14-7/16"

Kit includes sink, CTXBG2513R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain



## Lustertone Classic Stainless Steel ADA Sinks

- 18-gauge, Type 304 stainless steel
- Lustrous Satin finish
- Sinks are available with Perfect Drain or a standard drain opening measuring 3-1/2"
- Sound-deadening pad(s) minimizes sound and vibration
- Sinks with Perfect Drain include one LKPD1 Perfect Drain and strainer per bowl
- Additional ADA depths available



ELUHAD311855

### ADA undermount single bowl with Perfect Drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUHAD111655PD	14"	18-1/2"	5-3/8"	11-1/2"	16"
ELUHAD121255PD	14-1/2"	14-1/2"	5-1/2"	12"	12"
ELUHAD131655PD	16"	18-1/2"	5-3/8"	13-1/2"	16"
ELUHAD141455PD	16-1/2"	16-1/2"	5-3/8"	14"	14"
ELUHAD141855PD	16-1/2"	20-1/2"	5-3/8"	14"	18"
ELUHAD161655PD 	18-1/2"	18-1/2"	6-7/8"	16"	16"
ELUHAD191655PD 	21-1/2"	18-1/2"	6-7/8"	19"	16"
ELUHAD211555PD	23-1/2"	18-1/4"	5-3/8"	21"	15-3/4"
ELUHAD281655PD	30-1/2"	18-1/2"	5-3/8"	28"	16"





ELUHAD281655PD



ELUHAD211555PD

### ADA undermount single bowl with standard drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUHAD111655 	14"	18-1/2"	5-3/8"	11-1/2"	16"
ELUHAD121255	14-1/2"	14-1/2"	5-3/8"	12"	12"
ELUHAD131655	16"	18-1/2"	5-3/8"	13-1/2"	16"
ELUHAD141455	16-1/2"	16-1/2"	5-3/8"	14"	14"
ELUHAD141855 	16-1/2"	20-1/2"	5-3/8"	14"	18"
ELUHAD161655	18-1/2"	18-1/2"	5-3/8"	16"	16"
ELUHAD191655	21-1/2"	18-1/2"	5-3/8"	19"	16"
ELUHAD211555	23-1/2"	18-1/4"	5-3/8"	21"	15-3/4"
ELUHAD281655	30-1/2"	18-1/2"	5-3/8"	28"	16"



ELUHAD211555











ELUHAD281655



## Lustertone Classic Stainless Steel ADA Sinks

### ADA drop-in single bowl with Perfect Drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LRAD131665PD 	13"	16"	6-1/2"	10"	10"	1,2,3,MR2
LRAD151765PD 	15"	17-1/2"	6-1/2"	12"	12"	1,2,3
LRAD152265PD	15"	22"	6-1/2"	11-1/2"	16"	1,2,3
LRAD171665PD 	17"	16"	6-1/2"	14"	10"	1,2,3
LRAD172065PD	17"	20"	6-1/2"	14"	14"	1,2,3,OS4
LRAD172265PD	17"	22"	6-1/2"	13-1/2"	16"	1,2,3
LRAD191865PD	19"	18"	6-1/2"	16"	11-1/2"	1,2,3
LRAD191965PD 	19-1/2"	19"	6-1/2"	16"	13-1/2"	1,2,3
LRAD202265PD 	19-1/2"	22"	6-1/2"	16"	16"	1,2,3,OS4
LRAD252165PD 	25"	21-1/4"	6-1/2"	21"	15-3/4"	1,2,3
LRAD252265PD 	25"	22"	6-1/2"	21"	15-3/4"	1,2,3,4,5
LRAD312265PD 	31"	22"	6-1/2"	28"	16"	1,2,3,4























LRAD191965PD



LRAD252165PD

### ADA drop-in single bowl with standard drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
LRAD131655	13"	16"	5-1/2"	10"	10"
LFRAD151555 	15"	15"	5-1/2"	12"	12"
LRAD151755 	15"	17-1/2"	5-1/2"	12"	12"
LRAD152255 	15"	22"	5-1/2"	11-1/2"	16"
LRAD171655 	17"	16"	5-1/2"	14"	10"
LRAD172055 	17"	20"	5-1/2"	14"	14"
LRAD172255 	17"	22"	5-1/2"	13-1/2"	16"
LFRAD191860 	19"	18"	6"	16"	13-1/2"
LRAD191855 	19"	18"	5-1/2"	16"	11-1/2"
LRAD191855L 	19"	18"	5-1/2"	16"	11-1/2"
LRAD191855R 	19"	18"	5-1/2"	16"	11-1/2"
LRAD191955 	19-1/2"	19"	5-1/2"	16"	13-1/2"
LRAD202255 	19-1/2"	22"	5-1/2"	16"	16"
LRAD221955 	22"	19-1/2"	5-1/2"	18"	14"
LRAD221955L 	22"	19-1/2"	5-1/2"	18"	14"
LRAD221955R 	22"	19-1/2"	5-1/2"	18"	14"
LRAD222255 	22"	22"	5-1/2"	19"	16"
LFRAD251955 	25"	19-1/2"	5-1/2"	21"	15-3/4"
LRAD252155 	25"	21-1/4"	5-1/2"	21"	15-3/4"
LRAD252255 	25"	22"	5-1/2"	21"	15-3/4"
LRAD312255 	31"	22"	5-1/2"	28"	16"



LRAD221955




LRAD191855



## Lustertone Classic Stainless Steel ADA Sinks

### ADA undermount double bowl with Perfect Drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUHAD311855PD	30-3/4"	18-1/2"	5-3/8"	13-1/2"	16"
ELUHAD312055RPD	31-1/4"	20-1/2"	5-3/8"	14"	18"
ELUHAD321655PD 	31-3/4"	16-1/2"	5-3/8"	14"	14"






ELUHAD312055RPD



ELUHAD311855PD

### ADA undermount double bowl with standard drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUHAD311855	30-3/4"	18-1/2"	5-3/8"	13-1/2"	16"
ELUHAD312055R 	31-1/4"	20-1/2"	5-3/8"	14"	18"
ELUHAD321655	31-3/4"	16-1/2"	5-3/8"	14"	14"
ELUHAD361855 	35-3/4"	18-1/2"	5-3/8"	16"	16"
ELUHAD421855 	41-3/4"	18-1/2"	5-3/8"	19"	16"




ELUHAD311855



ELUHAD321655

### ADA drop-in double bowl with Perfect Drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LRAD291865PD 	29"	18"	6-1/2"	12"	12"	1,2,3, MR2
LRAD292265PD 	29"	22"	6-1/2"	11-1/2"	16"	1,2,3,4
LRAD331965PD 	33"	19-1/2"	6-1/2"	14"	14"	1,2,3
LRAD332265PD 	33"	22"	6-1/2"	13-1/2"	16"	1,2,3,4










LRAD331965PD



LRAD291865PD

### ADA drop-in double bowl with standard drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
LRAD291855 	29"	18"	5-1/2"	12"	12"
LRAD292255 	29"	22"	5-1/2"	11-1/2"	16"
LRAD331955 	33"	19-1/2"	5-1/2"	14"	14"
LRAD332155 	33"	21-1/4"	5-1/2"	13-1/2"	16"
LRAD25055 	33"	22"	5-1/2"	14"	18"
LRAD332255 	33"	22"	5-1/2"	13-1/2"	16"
LRAD372255 	37"	22"	5-1/2"	16"	16"



LRAD292255



LRAD291855

## Quartz Classic ADA Sink With Perfect Drain

- Sink bowls are 5-1/2" deep for ease of reach and accessibility
- Edgeless drain eliminates the gap around the drain for a cleaner, more hygienic sink; food and gunk go right down the drain
- Coordinate your sink color with your decor and style; washes clean with soapy water; food and liquid won't stain
- Molded from fine quartz sand to resist banging, chipping and scratches; heat safe up to 535° F
- Material's ultrafine, nonporous structure means food and liquid won't stick to surface; prevents the spreading of bacteria
- Material is naturally sound-deadening, minimizing sound and vibration for a quieter time at the sink
- Drain placement provides more usable space on the bottom of the sink and in the cabinet below
- Include one LKPD1 Perfect Drain and strainer per bowl
- Available in 4 colors



ELGUAD3319PD



### ADA undermount single bowl with Perfect Drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELGUAD2519PD 	25"	18-1/2"	5-1/2"	22-5/16"	16-7/16"


### ADA drop-in single bowl with Perfect Drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
ELGAD2522PD 	25"	22"	5-1/2"	22-5/16"	16-7/16"	Pre-scored for up to 5




### ADA undermount double bowl with Perfect Drain


Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELGUAD3319PD 	33"	18-1/2"	5-1/2"	14-1/4"	16-3/16"



### ADA drop-in double bowl with Perfect Drain

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
ELGAD3322PD 	33"	22"	5-1/2"	14-1/4"	16-3/16"	Pre-scored for up to 5








**Waste fittings for 3-1/2" drain openings (4-1/2" top diameter)** 

Model	Description	Image
LKAD18	3-1/2" Drain, Chrome-plated Brass Body, Strainer and LKADOS Tailpiece	
LKAD35	3-1/2" Drain Fitting, Stainless Steel Body, Strainer Basket and Offset Tailpiece	
LKADOS	3-1/2" Drain Fitting, Chrome-plated Brass Offset Tailpiece	

**Waste fittings for 1-1/2" to 1-3/4" drain openings (for lavatory sinks with 2-1/4" top diameter)** 

Model	Description	Image
LKAD174	1-1/2" or 1-5/8" Drain Outlet Fitting, Chrome-plated Brass, Perforated Grid and Elbow	
LKAD174LO	1-1/2" or 1-5/8" Drain Outlet Fitting, Chrome-plated Brass, Perforated Grid and Elbow	

**Dart Canyon accessories**

Model	Description	Image
CTXBG2513R	Stainless Steel, Reversible Bottom Grid, 24-1/2" x 13" x 4-3/8"	
CTXBG2813R	Stainless Steel, Reversible Bottom Grid, 27-1/2" x 13" x 4-3/8"	
CTXBG3113R	Stainless Steel, Reversible Bottom Grid, 30-1/2" x 13" x 4-3/8"	
CTXC0712	Stainless Steel, Colander, 6-7/16" x 11-7/8" x 2-1/2"	
CTXDC0606	Stainless Steel, Bottom Grid Drain Cover, 5-1/8" x 5-1/4" x 7/8"	
LKC0722LSS	Stainless Steel, Colander, 6-7/16" x 21-1/2" x 2-1/2"	
LKCB1223LWN	Hardwood, Cutting Board, 12" x 22-1/2" x 1"	



EWMA4820C

### About Elkay

For more than 100 years, Elkay® Manufacturing has been making innovative products and providing exceptional customer care. Family owned since 1920, Elkay began by making residential butler and pantry sinks. Today, the company has grown to include faucets, foodservice fixtures, water delivery products and architectural millwork in addition to world-class sinks. We are proud to be America's No. 1 selling kitchen sink company, as well as a leading manufacturer of award-winning water delivery products, including the ezH2O® bottle filling station.

Like your family, Elkay has values and traditions that endure. We take pride in offering reliable products that inspire change and leave the world a better place for generations to come. Headquartered in Downers Grove, Illinois, Elkay is American owned and operated providing thousands of jobs that support our families and communities.

**ELKAY**

1333 Butterfield Rd, Suite 200 | Downers Grove IL 60515  
630.574.8484 | elkay.com | ©2021 Elkay Manufacturing Company

(5/21) F-5122